

Laboratory Studies of Density Increase on Shelves

John A. Whitehead
Woods Hole Oceanographic Institution
MS#21, 360 Woods Hole Road
Woods Hole MA 02543-1541
phone (508) 289-2793 fax (508) 457-2181 email jwhitehead@whoi.edu
Award Number N00014-99-1-0366

LONG TERM GOALS

The long-term goal is to understand the fluid mechanics of buoyancy and wind driven transport on the continental shelf, including along-shelf transport and exchange with the deep Arctic Ocean.

OBJECTIVES

To understand flows in scaled laboratory experiments.

APPROACH



We developed prototype laboratory experiments and generated simple theories. The experiments and theories indicate design requirements for further experiments. We then design and conduct new laboratory experiments that yield important new observations of flow patterns and quantitative measurements of important parameters. These are compared with theory and ocean data.

ACCOMPLISHMENTS

In the six months since this program started, we have developed two simple theories and conducted one benchtop test. The first theory concerns the impact of density stratification of water on the sinking of dense water. We found that with simple algebra and box-models of a stratified ocean cooled from above, deep convection can suddenly switch on as cooling rate increases during the winter. Once convection is active, it will remain so as cooling declines in the spring. At a second lower value of the cooling rate, it will switch off. This contrasts with present numerical and theoretical models where the convection is simply proportional to cooling rate. The second theory has to do with the location of hydraulic jumps and the sites of mixing for density currents moving down a sloping bottom. A benchtop experiment tested the second theory. In both problems, a range of parameters is found with multiple equilibria—two distinct flows are possible for the same inputs. The figure shows two flows of water within this range. Water flows down a sloping channel from right to left and encounters a shoaling obstacle. The floor of the shoaling channel is a thin light line. The crest is underlain by a white crescent. In the top picture, the water has subcritical (deep) flow upstream of the obstacle. This subcritical flow is visible as the thick layer of water over the deepest part of the channel. Upstream of this subcritical layer is a hydraulic jump. In the bottom picture the water has supercritical (shallow) flow along the entire length. No hydraulic jump is present. This flow is typically found for greater angles. Because of multiple equilibrium, we can get from the first image to the second by first

Report Documentation Page				Form Approved OMB No. 0704-0188	
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 30 SEP 1999		2. REPORT TYPE		3. DATES COVERED 00-00-1999 to 00-00-1999	
4. TITLE AND SUBTITLE Laboratory Studies of Density Increase on Shelves				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Woods Hole Oceanographic Institution,MS#21, 360 Woods Hole Road,Woods Hole,MA,02543				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Same as Report (SAR)	18. NUMBER OF PAGES 3	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			

increasing the angle a little, thereby producing a transition to supercritical flow, and then decreasing it by a larger amount. Thus because of hysteresis the second can have a smaller angle than the first.



SCIENTIFIC/TECHNICAL RESULTS

The two simple theories both indicated that within a range of parameters, the strength of deep water formation and the location of mixing is sensitive to the history of how the processes is started. The intensity, magnitude, and the range of multiple equilibria is quantified with algebraic formulas. Thus scaled theory and benchtop experiments show that strength of deep water formation and the location of mixing is likely to display hysteresis.

IMPACT FOR SCIENCE OR SYSTEMS APPLICATIONS

The dependence of these processes on history means that oceanographers and numerical modelers must take this into account. Since the state can be history-dependent, steady numerical models will not have enough degrees of freedom to capture some of these effects. Regions with parameters favoring one state or the other would tend to have the ocean remain in that state. These experiments lay some foundation for more studies to be conducted in the next two years. The techniques we developed earlier (Whitehead et al. 1996) will be adapted to stratified fluid with topography of importance for the Arctic Ocean.

TRANSITIONS

In both problems we intend to describe these and related processes clearly in a manner accessible to oceanographers and students.

RELATED PROJECTS

In the first project, we intend to overlap with the work by Chapman and Gawarkiewicz. We are collaborating with Dr. Peter Baines of CSIRO, Aspendale, Australia on the second problem. He is an expert in such problems and has written a highly successful book on these processes in nonrotating flows.

REFERENCES

- Baines, Peter. G. Topographic Effects in Stratified Flows. Cambridge University Press, New York, 482 pp.
- Chapman, D. C. 1998. Setting the scales of the ocean response to isolated convection. *J. Phys. Oc.* **28**, 606-620.
- Chapman, D. C. and G. Gawarkiewicz 1995 Shallow convection and buoyancy equilibration in an idealized coastal polynia. *J. Geophys. Res.* **100**, 13373-12387.
- Chapman, D. C. and G. Gawarkiewicz 1997. Shallow Convection and buoyancy equilibration in an idealized coastal polynya. *J. Phys., Oc.* **27**, 555-566.
- Gawarkiewicz G. and D. C. Chapman, 1997 A numerical study of dense water formation and transport on a shallow, sloping continental shelf. *J. Geophys. Res.* **100**, 4489-4507.
- Whitehead, J. A., John Marshall and Gwynneth E. Hufford, 1996. Localized convection in rotating stratified fluid. *J. Geophys. Res.*, **101**, 25,705-25,721.